Switch to English

PAWS • مونوغراف التدريب والاعتماد البيطري

باوسكين بخاخ

بخاخ طبيعي وفيتامينات للعناية بجلد الحيوانات الأليفة وترميم البشرة



بخاخ بيطري موضعي فاخر مصمم بمستخلصات نباتية طبيعية وفيتامينات حيوية لدعم صحة جلد الحيوانات الأليفة، توفير ترطيب وتبريد فوري لسطح البشرة، وتسريع التئام الأنسجة المتضررة. يدمج خلاصة الصبار (الألوفيرا)، دي-بانثينول (برو-فيتامين B5)، كبريتات الزنك، بروبيلين جليكول، فيتامين E، وفيتامين A في عبوة بخاخ سعة 100 مل.

الفصائل المستهدفة	حجم العبوة المعتمد	التوثيق السريري
الكلاب والقطط	**عبوة بخاخ 100 مل**	**مونوغراف رسمي 100%**

Switch to English

فهم الحالة المرضية والاحتياج السريري في بيئة الخليج

Etiology & Need State

التحديات الفسيولوجية والبيئية التي يتعرض لها الأليف يومياً وفق التوثيق السريري للمونوغراف

1 رقة وحساسية جلد الكلاب والقطط

تتميز بشرة الكلاب والقطط بأنها أرق بكثير من بشرة الإنسان وأسرع تأثراً بالجفاف والحرارة والمواد الكيميائية المنزلية.

2 الاحتكاك والتشققات السطحية في الكفوف

يؤدي المشي اليومي على الرمال الساخنة والأرضيات الخشنة إلى تشققات دقيقة وجفاف في وسائد الأقدام وحول ثنايا الجلد.

3 الحكة الموضعية وتهيج الجلد السطحي

تسبب لدغات الحشرات والغبار ردود فعل تحسسية موضعية تدفع الحيوان للهرش المستمر وإيذاء نفسه.

الخلاصة البيطرية للممثل العلمي (Key Clinical Takeaway):

لا يمكن الاكتفاء بالحلول العرضية؛ إن متطلبات بيئة الشرق الأوسط ومناخ الخليج تفرض حلاً بيطرياً متكاملاً يدعم فسيولوجيا الحيوان بشكل جذري ويوفر حماية بيئية وغذائية مستمرة دون أي آثار جانبية ضارة.

آلية العمل والمسارات الحيوية المزدوجة (Dual Mechanism)

MOA & Bio-Pathways

الأساس العلمي الدقيق لكيفية تفاعل المكونات الحيوية داخل جسم الأليف لتحقيق النتائج العلاجية

المسار الحيوي 1

المسار الأول: التبريد الفوري والترطيب الاسترطابي (Cooling & Humectant)

توفر خلاصة الألوفيرا تبريداً فورياً وترطيباً عميقاً بالسكريات المتعددة، بينما يسحب البروبيلين جليكول الرطوبة ويحبسها داخل طبقات الجلد السطحية.

المسار الحيوي 2

المسار الثاني: ترميم الأنسجة وتقوية البصيلات (Tissue Repair & Keratinization)

يتغلغل دي-بانثينول (فيتامين B5) داخل ساق الشعرة وخلايا البشرة محفزاً تجدد الخلايا، وتدعم كبريتات الزنك وفيتامين A التقرن السليم وصيانة وسائد الأقدام.

الامتصاص الحيوي: مهندس لضمان أعلى ثبات دوائي وتوافر حيوي دون أي إجهاد كبدي أو معوي.

✓ موثق سريرياً بالمونوغراف

Switch to English

المكونات الفعالة والبروفايل الكيميائي الحيوي

Ingredient Profiling

تفصيل المركبات الحيوية ودورها الفسيولوجي المعتمد في المونوغراف الرسمي

المكون الفعال (Active Ingredient)	المركبات النشطة (Bio-Actives)	الدور الفسيولوجي الدقيق (Physiological Role)
خلاصة أوراق الصبار (ألوفيرا) Aloe Vera Leaf Extract	مستخلص نباتي مبرد	أكثر من 75 عنصراً حيوياً لتبريد وترطيب البشرة وتخفيف التهيج الفوري
دي-بانثينول (برو-فيتامين B5) D-Panthenol (Pro-Vitamin B5)	فيتامين بنائي مرمم	التغلغل في جذور الشعر لتقوية البصيلات وترميم الأنسجة الجلدية المتضررة
كبريتات الزنك Zinc Sulphate	معدن حيوي مرمم	معدن حيوي لدعم التئام الجروح السطحية وصيانة وسائد الأقدام
بروبيلين جليكول		

Switch to English

بروتوكول الاستخدام والجرعات المعتمدة

Dosage & Administration

الطقوس اليومية وجدول الجرعات الموصى بها حسب الوزن والفصيلة لتحقيق أعلى أثر علاجي

طريقة الاستخدام والتطبيق العملي (Directions for Use):

نظف الفرو أو امسح الأتربة العالقة بالكفوف. أمسك العبوة على بعد عدة سنتيمترات ورش مباشرة على الجلد الجاف أو المتهيج أو وسائد الأقدام 2 إلى 3 مرات يومياً أو عند الحاجة.

الفصيلة والوزن (Species / Weight)	الجرعة المحددة (Dosage)	التكرار والجدول الزمني (Frequency & Schedule)
الكلاب والقطط (عناية وترطيب يومي)	2 إلى 3 بخات مباشرة على المكان المصاب	2 إلى 3 مرات يومياً أو عند الحاجة
وسائد الأقدام الخشنة والمتشققة	رش مباشر على الوسائد	مرتان يومياً حتى التئام الجلد

Switch to English

الميزة التنافسية ورد اعتراضات الأطباء والمربين

Commercial & Clinical Edge

أقوى الإجابات العلمية المعتمدة لممثلي سقالة لمواجهة الاستفسارات المتكررة في العيادات

س: هل يمكن رش باوسكين مباشرة على ثنايا الجلد الملتهبة أو المتهيجة؟

ج: نعم بكل أمان، فالتركيبة مائية خالية من الكحول ولا تسبب أي وخز أو حرقان، وتوفر راحة فورية بفضل الصبار والبانثينول المهدئ.

س: ما هو حجم عبوة باوسكين بخاخ المعتمد؟

ج: يأتي باوسكين بخاخ في عبوة رذاذ صيدلانية سعة 100 مل سهلة الحمل والاستخدام اليومي المباشر.

اختبار الكفاءة والاعتماد المعرفي لممثلي سقالة

Certification Quiz

أسئلة التحقق السريري لضمان إتقان المعايير العلمية للمنتج والحصول على شهادة اعتماد أكاديمية فيرفاك

س1: ما هو حجم عبوة باوسكين بخاخ المعتمد رسمياً على التصميم؟

- **عبوة بخاخ 100 مل (100 ml Spray Bottle)**
- عبوة 500 مل
- قطارة 20 مل
- عبوة لتر

التعليل السريري: يأتي باوسكين بخاخ في عبوة رذاذ صيدلانية سعة 100 مل.

س2: ما هي المكونات الفعالة الرئيسية التي توفر الترطيب وترميم الأنسجة في باوسكين؟

- **خلاصة أوراق الصبار (ألوفيرا)، دي-بانثينول، وكبريتات الزنك**
- الكحول الصناعي والكلور
- ماء الأكسجين والمبيضات
- الصبغات الصناعية

التعليل السريري: تحتوي التركيبة على خلاصة الألوفيرا ودي-بانثينول وكبريتات الزنك وفيتامينات A وE.

س3: ما هو جدول الاستخدام الموصى به لبخاخ باوسكين وفق التعليمات؟

- **الرش مباشرة على الجلد والكفوف 2 إلى 3 مرات يومياً أو عند الحاجة**
- مرة واحدة شهرياً فقط
- الرش داخل عيون الحيوان
- التخفيف في 50 لتر ماء

التعليل السريري: تنص التوجيهات المعتمدة على الرش المباشر على الأماكن المتضررة 2 إلى 3 مرات يومياً أو عند الحاجة.

النسخة العربية



PAWS • CLINICAL MONOGRAPH TRAINING DOSSIER

PAWSKIN Spray

Natural Botanical & Vitamin Skin Care & Repair Spray

Premium topical veterinary spray formulated with natural botanical extracts and essential vitamins engineered to support pet skin health, provide deep surface cooling and hydration, and accelerate tissue repair. Combines Aloe Vera Extract, D-Panthenol (Pro-Vitamin B5), Zinc Sulphate, Propylene Glycol, Vitamin E, and Vitamin A in a 100 ml spray bottle.

Target Species	Certified Pack Size	Clinical Grounding
Dogs & Cats	100 ml Spray Bottle	100% Monograph

Clinical Etiology & Environmental Need State

Etiology & Need State

Physiological disruptions and stressors documented in the official technical monograph

1 Delicate Epidermal Architecture

Canine and feline skin is significantly thinner than human skin, lacking thick epidermal keratin barriers against arid climates.

2 Friction & Pad Micro-Fissures

Daily running on asphalt, sand, and coarse floors causes superficial micro-cracking and painful surface tension on pads.

3 Superficial Irritation & Scratch Cycles

Environmental allergens and heat induce acute surface pruritus, prompting intense scratching that erodes the skin barrier.

Key Clinical Takeaway for Veterinary Representatives:

Symptomatic masking is insufficient. Environmental conditions in the GCC mandate high-stability veterinary solutions that directly address underlying etiology while guaranteeing complete systemic safety during daily use.

Mechanism of Action & Dual Biological Pathways

MOA & Pathways

Scientific grounding of how active bio-complexes interact with pet physiology

Biological Pathway 1

Pathway 1: Instant Surface Cooling & Humectant Hydration

Aloe Vera extract delivers immediate surface cooling and polysaccharide hydration, while Propylene Glycol draws and locks ambient moisture into skin layers.

Biological Pathway 2

Pathway 2: D-Panthenol Regeneration & Zinc Keratinization

D-Panthenol penetrates hair shafts to bind structural proteins, while Zinc Sulphate and Vitamin A drive natural keratinization to soften rough callouses.

Bioavailability Assurance: Formulated for maximum enteral or cutaneous absorption without renal or hepatic burden. ✓Monograph Verified

Active Ingredients & Quantitative Profiling

Ingredient Profiling

Detailed breakdown of biological complexes and their verified pharmacological roles

Active Ingredient / Botanical	Standardized Bio-Complex	Target Physiological Role
Aloe Vera Leaf Extract	Active Botanical	Over 75 active micronutrients providing surface cooling & deep hydration
D-Panthenol (Pro-Vitamin B5)	Active Provitamin	Penetrates hair shaft, binds structural proteins, strengthens coat
Zinc Sulphate	Active Mineral	Supports structural maintenance of localized outer skin and paw pads
Propylene Glycol	Hygroscopic Humectant	Pulls moisture into outer skin layers to halt flakiness and retain hydration
Vitamin E (Tocopheryl Acetate)	Topical Antioxidant	Shields surface lipids from environmental weathering and oxidation

Clinical Protocols & Standardized Administration

Dosage & Administration

Daily administration rituals and weight-dosing matrix certified by the veterinary dossier

Directions for Clinical Administration:

Hold bottle a few inches away and spray directly onto dry, rough, or affected outer skin and coat surfaces 2 to 3 times daily or as needed.

Species / Body Weight	Recommended Dose	Administration Schedule
Dogs & Cats (Daily Skin Care)	2 to 3 sprays directly on area	2 to 3 times daily or as needed
Rough & Calloused Paw Pads	Direct spray on pad surfaces	Twice daily until smooth

النسخة العربية

Commercial Edge & Veterinary Objection Handling

Commercial Advantage

Evidence-based responses for Cigalah representatives when detailing clinics and hospitals

Q: Can PAWSKIN Spray be applied directly on raw or irritated skin folds?

A: Yes. The soothing Aloe Vera and D-Panthenol base is alcohol-free and non-stinging, providing immediate cooling relief to reactive skin folds and chafed areas.

Q: What is the packaging size of PAWSKIN Spray?

A: PAWSKIN Spray is packaged in a convenient 100 ml spray bottle designed for easy, targeted daily application.

Knowledge Check & Representative Certification

Certification Quiz

Clinical verification questions ensuring full mastery of monograph product details

Q1: What is the approved commercial pack size of PAWSKIN Spray?

- **100 ml Spray Bottle** ✓
- 500 ml Bottle
- 20 ml Dropper
- 1 Liter Refill

Clinical Rationale: PAWSKIN Spray is packaged in a 100 ml spray bottle.

Q2: What key active ingredients provide deep hydration and tissue repair in PAWSKIN?

- **Aloe Vera Leaf Extract, D-Panthenol, and Zinc Sulphate** ✓
- Synthetic Alcohol and Chlorine
- Hydrogen Peroxide and Bleach
- Artificial Dyes

Clinical Rationale: The formula features Aloe Vera, D-Panthenol (Pro-Vitamin B5), Zinc Sulphate, and Vitamins A and E.

Q3: What is the recommended application routine for PAWSKIN Spray?

- **Spray directly onto skin/paws 2 to 3 times daily or as needed** ✓
- Once a month only
- Spray into pet's eyes
- Dilute in 50 liters of water

Clinical Rationale: Per the approved directions, spray directly onto affected skin surfaces 2 to 3 times daily or as needed.